

NOTES:

- 1. PROPERTY LINE, STREET LINE AND OWNER INFORMATION WERE COMPILED FROM RECORDS ON FILE AT THE PLYMOUTH COUNTY REGISTRY OF DEEDS.
- 2. TOPOGRAPHY SHOWN ON THIS PLAN IS BASED AN ON THE GROUND SURVEY BY GRADY CONSULTING, L.L.C. ON FEB. 25, 2024.
- 3. SUBJECT SITE IS IN THE B2 DISTRICT AS DEPICTED ON THE TOWN OF ROCKLAND ZONING MAP.
- 4. EXISTING UTILITIES, WHERE SHOWN, HAVE BEEN COMPILED BASED ON OBSERVED ABOVE GROUND EVIDENCE ONLY AND ARE TO BE CONSIDERED APPROXIMATE. GRADY CONSULTING, L.L.C. DOES NOT GUARANTEE THE LOCATION OF THE UNDERGROUND UTILITIES SHOWN OR THAT ALL EXISTING UTILITIES AND/OR SUBSURFACE STRUCTURES ARE SHOWN.

FLOOD NOTE

BY GRAPHIC PLOTTING ONLY, THIS PROPERTY IS LOCATED IN ZONE AE 16 AS DEPICTED ON FLOOD INSURANCE RATE MAP, COMMUNITY PANEL No. 25023C 0181K, WHICH BEARS AN EFFECTIVE DATE OF JULY 6,

RECORD OWNER:

ASSESSORS PARCEL 51-94 BURGER KING COMPANY LLC 5707 BLUE LAGOON DR. MIAMI, FL 33126 DEED BOOK 57730 PAGE 312

PLAN REFERENCES

1. DEED BOOK 7337 PAGE 188 (SEE EXHIBIT B – PLAN)
2. PLAN BOOK 13 PAGE 400

PLAN BOOK 13 PAGE 504
 PLAN BOOK 14 PAGE 446
 PLAN BOOK 44 PAGE 447
 PLAN BOOK 3633 PAGE 220
 PLAN BOOK 21 PAGE 738
 PLAN BOOK 24 PAGE 373

10. 1906 STATE HIGHWAY LAYOUT PLAN BOOK 8 PAGE 57611. 1972 STATE HIGHWAY LAYOUT PLAN BOOK 44 PAGE 3145

B. BUSINESS USES

(1) RETAIL STORES: AT LEAST ONE SPACE FOR EACH 300 SQUARE FEET OF SALES FLOOR

§415-35. OFF-STREET PARKING REQUIREMENTS. THE FOLLOWING OFF-STREET PARKING

PROPOSED BUILDING

1ST FLOOR AREA = 4,327 SF

2ND FLOOR AREA = 2,925 SF

TOTAL EMPLOYEES = 25 EMPLOYEES

REQUIRED PARKING = 25 EMPLOYEES * (1 SPACE / 2 EMPLOYEES)

+ 7,252 SF * (1 SPACE / 300 SF)

12.5 SPACES + 24.17 SPACES = 36.67 SPACES

AREA AND ONE SPACE FOR EVERY TWO EMPLOYEES.

TOTAL PROVIDED SPACES = 37 SPACES

REQUIRED ACCESSIBLE PARKING SPACES = 2 SPACES

TOTAL PROVIDED ACCESSIBLE PARKING SPACES = 2 SPACES

PROPOSED: <u>SPACES</u> (ZBL 14-22.A(1) 7-9'x18' SP = 19% < 30%)


OFF STREET LOADING REQUIREMENTS:
RETAIL COMMERCIAL, EATING ESTABLISHMENTS, OFFICES AND SERVICE ESTABLISHMENTS
1 BERTH REQUIRED FOR FLOOR AREA OF 5,000 — 20,000

1 BERTH PROVIDED

ROCKLAND PLANNING BOARD

SITE PLAN APPROVAL

DATE





| ZONING [| DATA | | |
|--|--|--|--|
| ZONE: B-2 | (BUSINESS 2) | | |
| PARCEL SIZE 40,7 | 71 S.F. | | |
| DIMENSIONAL REQUIREMENTS: LOT AREA UPLAND LOT FRONTAGE LOT WIDTH @ 50'SETBACK | REQUIRED - S.F. 22,000 S.F. 110 FT 110 FT | EXISTING 40,771 S.F. 40,771 S.F. 182.30 FT 168.84 FT | PROPOSED 40,771 S.F. 40,771 S.F. 182.30 FT 168.84 FT |
| MAIN STRUCTURE FRONT YARD SIDE YARD REAR YARD | 20 FT 30 FT 30 FT | 62.9 FT 24.1 FT 112.7 FT | 54.6 FT 27.4 FT 112.7 FT |
| ACCESSORY STRUCTURE MAX AREA FRONT YARD SIDE YARD REAR YARD HEIGHT | 400 SF 20 FT 5 FT 5 FT 24 FT | N/A N/A N/A N/A N/A | 354 SF 75.4 FT 14.1 FT 156.5 FT 16.2 FT |
| PAVED AREAS FRONT YARD SIDE YARD REAR YARD | 20 FT 10 FT 10 FT | 20.9 FT 6.2 FT 7.0 FT | 6.2 FT 7.0 FT |
| MAX BUILDING COVERAGE MAX BUILDING HEIGHT | 80% 36 FT/3 STORIES | 8.0% 1 STORY | 10.6% 2 STORIES |

ZONING NOTES:

CURRENT USE: RESTAURANT

PROPOSED USE: BANK (AS ALLOWED IN SECTION 415-14.A.(2)(a) OF THE TOWN OF ROCKLAND ZONING BYLAW)

§ 415–14.

BUSINESS II ZONING DISTRICT.

BUSINESS II ZUNING DISTRICT.

A. PERMITTED PRINCIPAL USES:

(2) PERSONAL AND BUSINESS SERVICE ESTABLISHMENTS SUCH AS:

LICEC DECLUDING CDECIAL DEDLUT

C. USES REQUIRING SPECIAL PERMIT:

(13) DRIVE THROUGH/DRIVE—UP WINDOWS. DRIVE THROUGH OR DRIVE—UP WINDOWS FOR ANY USE WHICH IS OTHERWISE ALLOWED IN THE ZONING DISTRICT SHALL ONLY BE ALLOWED BY SPECIAL PERMIT FROM THE ZONING BOARD OF APPEALS.

§ 415-22.(4) ACCESSORY STRUCTURES

(b)A DETACHED ACCESSORY STRUCTURE LESS THAN 24 FEET IN HEIGHT AND UNDER 400 SQUARE FEET MAY ONLY BE ERECTED IN THE SIDE OR REAR YARD NO CLOSER THAN FIVE FEET FROM A SIDE OR REAR LOT LINE AND IN CONFORMANCE WITH THE FRONT YARD REQUIREMENT OF THE DISTRICT IN WHICH IT IS LOCATED. A DETACHED ACCESSORY STRUCTURE EQUAL TO OR GREATER THAN 24 FEET IN HEIGHT OR EQUAL TO OR GREATER THAN 400 SQUARE FEET MAY ONLY BE ERECTED IN THE SIDE OR REAR YARD NO CLOSER THAN 15 FEET FROM A SIDE OR REAR LOT LINE AND IN CONFORMANCE WITH THE FRONT YARD REQUIREMENT OF THE DISTRICT IN WHICH IT IS LOCATED. IN NO EVENT SHALL ANY DETACHED ACCESSORY STRUCTURE BE LOCATED IN THE FRONT YARD AREA OF A LOT BETWEEN THE FRONT BOUNDARY LINE OF THE PROPERTY AT THE STREET AND THE PRINCIPAL BUILDING IN AN AREA EQUAL TO THE WIDTH OF THE PRINCIPAL BUILDING THE STREET WHICH SERVES AS ITS PRIMARY ACCESS TO THE PROPERTY.

ARTICLE VIII: SITE PLAN REVIEW \$ 415-58. GENERAL PROVISIONS

§ 415-89. SPECIAL PERMITS

SHEET INDEX

SHEET 3

SHEET 4

SHEET 5

THE APPLICANT IS SEEKING A SITE PLAN APPROVAL PER ZONING BYLAW 415-58 AND A SPECIAL PERMIT AS PER ZONING BYLAW 415-89 REQUIRED ON SECTION 415-14C(13).

THE APPLICANT IS PROPOSING TO DEMOLISH THE EXISTING BUILDING AND SITE, BUILD A NEW BANK WITH ALL INCIDENTAL SITE WORK INCLUDING, BUT NOT LIMITED TO, PARKING, GRADING, STORMWATER MANAGEMENT, AND EROSION CONTROL. THE BANK INCLUDES A DRIVE—UP WINDOW WHICH WILL REQUIRE A SPECIAL PERMIT.

| SHEET 6 | LANDS | CAPING | |
|------------|--------|---------------------------------|---|
| | | | - |
| REVISIONS | · • | | |
| 2025-06-03 | | REMOVE CANOPY | |
| 2025-06-24 | | RESPOND TO PEER REVIEW COMMENTS | |
| 2025-07-29 | | RE-INCORPORATE CANOPY | |
| 2025_00_17 | | EDEECTANDING CANODY | |

COVER SHEET/ZONING REQUIREMENTS

GRADING, UTILITY, AND EROSION CONTROL

EXISTING CONDITIONS

LAYOUT PLAN



SITE PLAN #157 MARKET STREET ROCKLAND, MASSACHUSETTS


PREPARED FOR:
ROCKLAND FCU
241 UNION STREET
ROCKLAND, MA 02370

MARCH 12, 2025 SCALE: 1"=20' JOB No. 24-343




Phone (781) 585-2300

SHEET 1 OF 6




SHEET 2 OF 6





PARKING SPACE & HANDICAP SPACE STRIPING DETAIL



PROPOSED BUILDING DIMENSIONS

| REVISIONS | |
|------------|---------------------------------|
| 2025-06-03 | REMOVE CANOPY |
| 2025-06-24 | RESPOND TO PEER REVIEW COMMENTS |
| 2025-07-29 | RE-INCORPORATE CANOPY |
| 2025-09-17 | FREESTANDING CANOPY |

#157 MARKET STREET

MARCH 12, 2025 SCALE: 1"=20' JOB No. 24-343



SHEET 3 OF 6



Scale 1'' = 20'

Grady Consulting, l.l.c.


MARCH 12, 2025


SCALE: 1"=20' JOB No. 24-343


103.9 + 103.4


102.9 102.4


Civil Engineers, Land Surveyors & Landscape Architects 71 Evergreen Street, Suite 1, Kingston, MA 02364 Phone (781) 585–2300












2. SIDEWALK SECTIONS SHALL BE A MAXIMUM OF 30' IN LENGTH, WITH SECTION SEPERATED BY 1/2" THICK PREMOLDED BITUMASTIC FILLER, THE FILLER DEPTH SHALL BE 4" EXCEPT AT DRIVEWAYS WHERE FILLER DEPTH WILL BE 6".


ROCKLAND PLANNING BOARD


SITE PLAN APPROVAL

3. 6" x 18" CONCRETE CURB MAY BE SUBSTITUTED UPON OWNER APPROVAL


CONCRETE SIDEWALK DETAIL (NOT TO SCALE)








1.5" DOMESTIC WATER SERVICE DETAIL (NOT TO SCALE)



TYPICAL SEWER TRENCH DETAIL (NOT TO SCALE)



SEWER CONNECTION PROFILE (NOT TO SCALE)

SEWER CONNECTION NOTES:

THE CONNECTION AT THE EXISTING SEWER LINE IS TO BE AS DIRECTED BY THE D.P.W. OR SEWER DEPARTMANT

2. CONSTRUCTION MATERIALS AND METHODS SHALL CONFORM TO TOWN OF ROCKLAND AND STATE OF MASSACHUSETTS STANDARDS AND REQUIREMENTS. DE-WATERING OF TRENCH, IF REQUIRED, SHOULD BE CONDUCTED IN CONFORMITY WITH LOCAL 12" AND 18" DIA. BIODEGRADABLE SILT SACK FILLED REGULATIONS.

4. PRIOR TO ANY CONSTRUCTION, A STREET OPENING PERMIT AND A SEWER CONSTRUCTION PERMIT MUST BE OBTAINED BY THE CONTRACTOR FROM THE TOWN OF ROCKLAND D.P.W. (UNLESS SEWER CONNECTION IS NOT IN R.O.W.)

SEWER MAINS TO BE PVC SCH 40 OR AS OTHERWISE NOTED. CONTRACTOR SHALL NOTIFY THE TOWN OF ROCKLAND D.P.W. AND SEWER DIVISION OF TIMING OF

7. SURPLUS EXCAVATION MATERIAL TO BE HAULED OFF AND LEGALLY DISPOSED OF BY CONTRACTOR.

8. THE CONTRACTOR MUST INSTALL DETECTABLE "GREEN" MARKING TAPE, APPROXIMATELY ONE (1) FOOT ABOVE THE PROPOSED SEWER MAIN FOR ITS ENTIRE LENGTH. 9. THERE SHALL BE NO FIELD CHANGES TO THIS PLAN WITHOUT PRIOR NOTIFICATION OF BOTH THE

DESIGN ENGINEER AND THE TOWN OF ROCKLAND SEWER DIVISION. 10. THE CONTRACTOR SHALL NOTIFY THE ENGINEER PRIOR TO BACKFILLING SO THAT AN "AS-BUILT" PLAN MAY BE COMPILED AND SUBMITTED TO THE ROCKLAND D.P.W.

11. ALL INTERIOR PLUMBING CHANGES SHALL BE MADE BY A LICENSED PLUMBER AND IN FULL COMPLIANCE WITH ALL STATE AND LOCAL PLUMBING CODE REQUIREMENTS. 12. CONTRACTOR IS TO RESTORE TO ORIGINAL CONDITION ANY UTILITIES OR IMPROVEMENTS DAMAGED CONSTRUCTION INCLUDING LOAMING AND SEEDING OF LAWNS.

13. CONTRACTOR TO VERIFY EXISTING SEWER ELEVATIONS.

WATER SUPPLY NOTES


THERE SHALL BE NO PHYSICAL CONNECTION BETWEEN A PUBLIC OR PRIVATE POTABLE WATER SUPPLY SYSTEM AND A SEWER, OR APPURTENANCE THERETO WHICH WOULD PERMIT THE PASSAGE OF ANY WASTEWATER OR POLLUTED WATER INTO THE POTABLE

- THE SEWER MAY BE LAID CLOSER THAN 10 FEET TO A WATER MAIN PROVIDED THAT IT
- A. LAID IN A SEPARATE TRENCH, AND


B. THE ELEVATION OF THE TOP(CROWN) OF THE SEWER IS AT LEAST 18 INCHES

BELOW THE BOTTOM(INVERT) OF THE WATER MAIN. WHENEVER SEWERS MUST CROSS UNDER WATER MAINS, THE SEWER SHALL BE LAID AT SUCH AN ELEVATION THAT THE TOP OF THE SEWER IS AT LEAST 18 INCHES BELOW THE BOTTOM OF THE WATER MAIN. WHEN THE ELEVATION OF THE SEWER CANNOT BE VARIED TO MEET THIS REQUIREMENT, THE WATER MAIN SHALL BE RELOCATED TO PROVIDE THIS SEPARATION OR RECONSTRUCTED WITH MECHANICAL JOINT PIPE FOR A DISTANCE OF 10 FEET ON EACH SIDE OF THE SEWER. ONE FULL LENGTH OF WATER MAIN SHOULD BE CENTERED OVER THE SEWER SO THAT BOTH JOINTS WILL BE AS FAR FROM THE SEWER

AS POSSIBLE. 4. WHEN IT IS IMPOSSIBLE TO OBTAIN PROPER HORIZONTAL AND VERTICAL SEPARATION AS STIPULATED ABOVE, BOTH THE WATER MAIN AND SEWER SHALL BE CONSTRUCTED OF MECHANICAL JOINT CAST IRON PIPE AND SHALL BE PRESSURE TESTED TO ASSURE WATERTIGHTNESS.



SILT SOCK DETAIL NOT TO SCALE



EROSION CONTROL

1. THE EASIEST AND MOST EFFECTIVE WAY TO CONTROL EROSION IS THROUGH SOURCE REDUCTION. THIS IS EFFECTIVELY DONE BY CAREFULLY PLANNING EXCAVATION ACTIVITIES DURING FAVORABLE WEATHER CONDITIONS. OPEN EXCAVATION AREAS MAY ALSO POSE A THREAT TO OFF SITE AREAS IF NEGLECTED OR LEFT OPEN FOR LONG PERIODS OF TIME. PROPER STOCKPILING MANAGEMENT WILL PREVENT EROSION PROBLEMS. ALL STOCKPILES

SHALL BE STABILIZED ON SITE OR REMOVED OFF SITE PRIOR TO ANY RAINFALL EVENT. 2. ANOTHER EFFECTIVE METHOD OF SOURCE REDUCTION IS TO PROMPTLY TREAT DISTURBED AREAS. A DISTURBED AREA LEFT IN A NON-STABILIZED CONDITION IS A PROBLEM WAITING TO HAPPEN. DISTURBED AREAS CAN BE STABILIZED BY LOAMING AND SEEDING. IF THIS IS IMPRACTICAL DUE TO SEASONAL TIMING OR BEING IN A HIGH TRAFFIC AREA, THE AREA MAY BE STABILIZED THROUGH THE USE OF APPLYING A 6" LAYER OF CRUSHED STONE TO THE AREA. WOOD CHIPS AND MULCHING HAVE BEEN USED IN SUCH AREAS TO SOME SUCCESS AS WELL. FOR NON TRAFFIC AREAS, STRAW CAN BE PUT DOWN TO RETARD THE EFFECTS OF EROSION.

3. AREAS THAT CAN NOT BE STABILIZED DUE TO THE NATURE OF THE THE ACTIVITY SHOULD BE CONTAINED. CONTAINMENT MAY BE ACHIEVED BY INSTALLING A TEMPORARY SILT FENCE AROUND THE AREA OR ALONG THE DOWN GRADIENT EDGE OF THE DISTURBED AREA. THE CONTRACTOR SHALL USE GOOD JUDGMENT TO PREVENT EROSION AND DISCHARGES INTO RESOURCE AREAS. RELYING ONLY ON THE SEDIMENT BARRIER LINE AT THE LIMIT OF WORK LINE IS IMPRUDENT AND CAN PUT THE PROJECT AT RISK TO ENFORCEMENT ORDERS. 4. STREET SHALL BE SWEPT AT THE END OF EACH DAY IF SEDIMENT IS EVIDENT.

5. SILT SACKS TO BE PLACED IN ALL DOWN GRADIENT CATCH BASINS UNTIL SLOPE STABILIZATION HAS OCCURRED.

CRUSHED STONE APRON

(NOT TO SCALE)

CONSTRUCTION SEQUENCE:

- INSTALL EROSION CONTROL
- MOBILIZATION 3. DEMOLISH BUILDING AND PAVEMENT, PERIMETER CURBS SHALL
- 4. PREPARE FOR AND BUILD FOUNDATIONS
- CONTINUE WITH BUILDING CONSTRUCTION
- INSTALL PROPOSED UTILITIES GRADE SITE
- INSTALL INTERIOR CURBING
- 9. PLACE BASE COURSE ASPHALT
- 10. FINISH BUILDING CONSTRUCTION 11. PLACE TOP COURSE OF ASPHALT
- 12. PERFORM LANDSCAPING 13. INSTALL STRIPING
- 14. DEMOBILIZATION 15. REMOVAL OF EROSION CONTROL



REVISIONS 2025-06-03 REMOVE CANOPY 2025-06-24 RESPOND TO PEER REVIEW COMMENTS 2025-07-29 RE-INCORPORATE CANOPY 2025-09-17 FREESTANDING CANOPY


SITE PLAN#157 MARKET STREET ROCKLAND, MASSACHUSETTS

PREPARED FOR: ROCKLAND FCU 241 UNION STREET ROCKLAND, MA 02370

MARCH 12, 2025 SCALE: 1"=20' JOB No. 24-343



SHEET 5 OF 6



SHEET 6 OF 6